



Republic of the Philippines
NATIONAL POLICE COMMISSION
NATIONAL HEADQUARTERS PHILIPPINE NATIONAL POLICE
OFFICE OF THE CHIEF, PNP
Camp BGen Rafael T Crame, Quezon City

25 FEB 2021

MEMORANDUM CIRCULAR
NO.: 2021-023

**PRESCRIBING THE MINIMUM TECHNICAL SPECIFICATIONS
FOR MINIFUGE**

1. REFERENCES:

- a. NAPOLCOM Resolution No. 2020-0950 entitled, "Prescribing the Minimum Standard for Minifuge" dated October 26, 2020;
- b. NAPOLCOM Memorandum Circular (MC) No. 2019-002 entitled, "Defining the Duty and Authority of the NAPOLCOM to Prescribe Minimum Standards for Uniforms, Arms, and Equipment to be Procured by the PNP" dated January 29, 2019;
- c. PNP MC No. 2019-016 entitled, "Implementing Guidelines of NAPOLCOM Resolution No. 2019-002 Defining the Commission's Function to Prescribe Minimum Standards for Uniforms, Arms and Equipment for the Philippine National Police and Delineation of Authority to the Chief, Philippine National Police and to Set Technical Specifications of PNP Uniforms, Arms and Equipment" dated April 4, 2019; and
- d. PNP UESB Resolution No. 2020-005 entitled, "Approving the Proposed Minimum Technical Specifications for Minifuge" dated January 22, 2021.

2. RATIONALE:

This MC sets forth the minimum technical specifications for Minifuge that will serve as reference in the procurement of the said equipment.

3. SITUATION:

Minifuge is an important piece of equipment for the PNP Health Service being used in the laboratory for microfiltration of samples, among others. The electric powered equipment has a compact design with a small footprint. It is provided with rotors for micro centrifuge tubes and another for Polymerase Chain Reaction (PCR) strip tubes. It also accepts tubes with the adapters supplied with the unit.

JENNIFER D. BONJOC
POLICE LIEUTENANT COLONEL
Chief, Administrative Section

CERTIFIED PHOTO COPY
FROM THE ORIGINAL

- 7) DEC Time from Max Speed: within 4 seconds
- 8) Rotors : Interchangeable for 6 micro tubes and 2 PCR strips
- 9) Operation Mode : Selectable or Continuous operation
- 10) Safety stop : Opening the lid
- 11) Lid sensor : Electro sensitive non-contacting

7. REPEALING CLAUSE:

All other technical specifications contrary to or inconsistent with the provisions of this MC are hereby rescinded, modified or amended.

8. EFFECTIVITY:

This MC shall take effect immediately after 15 days from filing a copy thereof at the UP Law Center in consonance with Section 3, Chapter 2, Book VII of Executive Order 292 otherwise known as the "Revised Administrative Code of 1987, as amended.



[Signature]
DEBOLD M SINAS
 Police General
 Chief, PNP

CPNP Ltrs 21 S084719



S084719

FEB 25 2021

Distribution:

- D-Staff
- P-Staff
- D, NSUs
- IG, IAS
- RD, PROs

Copy furnished:
 Command Group
 SPA to SILG

**CERTIFIED PHOTO COPY
 FROM THE ORIGINAL**

JENNIFER D. BONJOC

POLICE LIEUTENANT COLONEL

Chief, Administrative Section